

MONITORING OF THE PAR RIVER AND ITS TRIBUTARIES

The monitoring group operates under the citizen science scheme run by the Westcountry Rivers Trust. Comments, opinions and errors in this report are those of the author(s) only.

FEBRUARY 2026

CONTENT	PAGES
A. FEBRUARY 2026 FINDINGS AT A GLANCE – TO SAVE HAVING TO READ IT ALL!	2 - 4
B. RAINFALL, RIVER LEVELS AND FLOW	4 - 10
C. FEBRUARY 2026 MONITORING POINTS	10 - 11
D. THIS MONTH IN PICTURES	11 - 16
E. TEMPERATURE	17 - 19
F. TOTAL DISSOLVED SOLIDS	20 - 22
G. TURBIDITY	23 - 25
H. PHOSPHATES	26 - 28
I. NITRATE	29
J. WILDLIFE & INVASIVE PLANTS	29 - 30
K. ARMI RIVERFLY SURVEY (will resume in Spring 2026)	31
L. POLLUTION SOURCES, INCLUDING SOUTH WEST WATER STORM OVERFLOWS	31 - 35
M. HOW TO REPORT RIVER POLLUTION	35
N. OUR GROUP AND SUPPORTERS	36

A. OUR FEBRUARY 2026 FINDINGS AT A GLANCE (SEE SECTIONS C TO I FOR FULL PICTURE)

1. Data

We sampled at 16 locations between 9th and 14th February 2026. The **red** highlighting shows results of concern.

CRITERIA	UPPER PAR (UPSTREAM OF CONFLUENCE WITH BOKIDDICK STREAM NEAR BLACK HILL CAR PARK) 5 TESTING LOCATIONS	LOWER PAR (FROM CONFLUENCE WITH BOKIDDICK STREAM TO SEA) 3 TESTING LOCATIONS	TRIBUTARIES OF UPPER PAR (EXCLUDING TRESKILLING STREAM THIS MONTH) 6 TESTING LOCATIONS	TRIBUTARIES OF LOWER PAR (POLMEAR & TYWARDREATH STREAMS) 2 TESTING LOCATIONS
TEMPERATURE ° CELSIUS (SHOULD NOT EXCEED 18° CELSIUS)	Mean 10.68 Median 10.7 Min 10.1 Max 11.4	Mean 10.76 Median 10.7 Min 10.3 Max 11.3	Mean 10.38 Median 10.3 Min 9.6 Max 11.3	Mean 11.85 Median 11.85 Min 11 Max 12.7
TOTAL DISSOLVED SOLIDS PPM (SHOULD NOT EXCEED 300 PPM)	Mean 59.4 Median 60 Min 53 Max 66	Mean 84.6 Median 73 Min 66 Max 115	Mean 75.66 Median 67 Min 43 Max 147	Mean 130.5 Median 130.5 Min 110 Max 151
TURBIDITY (SHOULD BE <12 ON SECCHI TUBE. FOR AVERAGING ANY READING <12 IS COUNTED AS 0)	Mean 0 Median 0 Min 0 Max 0	Mean 0 Median 0 Min 0 Max 0	Mean 8 Median 0 Min 0 Max 35	Mean 0 Median 0 Min 0 Max 0
PHOSPHATES PPB (SHOULD NOT EXCEED 100 PPB)	Mean 40 Median 0 Min 0 Max 100	Mean 100 Median 100 Min 0 Max 200	Mean 0 Median 0 Min 0 Max 0	Mean 0 Median 0 Min 0 Max 0
NITRATES (SHOULD NOT EXCEED 50 PPM)	Mean 0 Median 0 Min 0 Max 0	Mean 0 Median 0 Min 0 Max 0 (2 sites)	Mean 0 Median 0 Min 0 Max 0	Mean 0 Median 0 Min 0 Max 0
RIVERFLY SCORE (TRIGGER LEVEL AT LRM SHOULD BE ≥ 6)	Riverfly surveys will resume in the Spring.			
KEY WILDLIFE (WRT KEY SPECIES ONLY* – FOR FULL LIST SEE SECTION I)			Beaver lake.	
INVASIVE PLANTS				Hemlock Water Dropwort

*The WRT monitoring forms highlight: Water Vole; Heron; Dipper; Otter (live sighting); Kingfisher; Dragonflies/Damselflies; Mink; Grey Wagtail; Fish; 'Other' . Beavers aren't stipulated but could, for example, be considered a key species under 'Other'. It is in this latter category that indirect evidence of otters, such as spraint, is included.

2. Key points

(a) Positive signs

(i) On 24th March 2026, it was announced that Cornwall Wildlife Trust had secured £3.3 million in funding from the National Lottery Heritage Fund as a contribution towards its exciting 5 year Tor to Shore project. This will link and improve a ‘mosaic of habitats’ from Helman Tor down to the waters of St Austell Bay and engage the local community in understanding, improving and enhancing biodiversity and a sense of place. Huge credit is due to the Trust, especially the project leader Gwen Maggs and her colleagues Oscar Miller and Sasha Pinto. More information, including a lovely short film, can be found at <https://www.cornwallwildlifetrust.org.uk/tor-to-shore> .

(ii) High river levels led to lower concentrations of phosphates.

(b) Points of concern

(i) Sewage spills from SWW’s storm overflows continued. The spillage from the St Austell North STW at Luxulyan began on 20th January 2026 and didn’t cease until March 5th, a period of 43 days, 21 hours and 1 minute (figures from the Surfers against Sewage discharge map (<https://datahq.sas.org.uk/sewage-data-hq/>)).

(ii) Extended, heavy rainfall caused the height and flow speed of the rivers and streams to increase significantly. According to the Met Office, climate change exacerbated natural variations in weather patterns and will mean that such weather and river levels are to be expected in the future:

While this winter’s weather has been heavily influenced by natural variability and atmospheric patterns, climate change provides important context.

A warmer atmosphere can hold more moisture, approximately 7% more for every degree Celsius of warming. This means that when it does rain, downpours can be heavier and more intense. This characteristic is already being observed in the UK and globally, with rainfall totals on the wettest days increasing over recent decades.

Climate change is also associated with a trend towards wetter winters in the UK. Winters are expected to feature more days with significant rainfall, particularly in western regions.

Source: <https://www.metoffice.gov.uk/blog/2026/why-has-it-been-so-wet-this-winter> .

(c) Areas for further research

(i) Sewage spills from storm overflow are well-documented but what are the environmental and health implications for users of the river and bathers at Par Beach?


(ii) There are numerous properties in the catchment which are not connected to the main sewerage network, relying instead on septic tanks or other methods. According to a recent story from the BBC South West Water ‘has confirmed some of its waste water treatment works in Cornwall which have permits to accept commercial waste have been forced to close at times recently due to increased rainfall’, forcing the companies that empty the tanks to travel as far as Bristol to dispose of the waste (<https://www.bbc.co.uk/news/articles/c5yypx1e373wo>). This is a problem for owners of septic

tanks and the reputable firms that service them according to the law, but how effective is the regulation of septic tank operation and sewage disposal overall?


B. RAINFALL, RIVER LEVELS AND FLOW

1. Rainfall at Luxulyan (https://environment.data.gov.uk/hydrology/station/14aadf3c-3d4d-44b3-b26b-cf705827d00e_377323)


(a) February 2026




(b) From 1st February 2025 until 28th February 2026:



(c) From 1st February 2024 until 28th February 2026:




(d) Complete record:




2. Par River levels at Luxulyan preceding and during surveys. Source:

<https://environment.data.gov.uk/hydrology/station/14aadf3c-3d4d-44b3-b26b-cf705827d00e>

(a) February 2026




(b) From 1st February 2025 until 28th February 2026:




No readings available for the requested time period

----- Recent unchecked data ——— Daily max level (m) ——— Daily min level (m)


(c) From 1st February 2024 until 28th February 2026:



(d) Complete record:




(e) How levels at Luxulyan could affect nearby areas:



3. RIVER FLOW AT LUXULYAN (Daily Mean Flow in M3/s – cubic metres per second):

Source: <https://environment.data.gov.uk/hydrology/station/d58ffa6f-8f0d-4626-b7a1-23de1774b470>


(a) February 2026




Data quality indicator for Daily mean flow (m3/s) (hover to reveal):




(b) From 1st February 2025 until 28th February 2026:




Data quality indicator for Daily mean flow (m3/s) (hover to reveal):




(c) From 1st February 2024 until 28th February 2026:



Data quality indicator for Daily mean flow (m3/s) (hover to reveal):




(d) Complete record:



C. FEBRUARY 2026 MONITORING POINTS

This month monitoring occurred at 16 locations.

Points along the main Par River are shown in black. Those in red are on tributaries.



Source: <https://magic.defra.gov.uk/MagicMap.aspx>

LOCATION	PAR/TRIBUTARY	DATE/TIME	TYPE OF CHECK	MONITORED BY
Criggan Moors, Par River, SX 01882 61133	PAR	11/2/26 10:10	n/a	n/a
South of Minorca Lane, Par River, SX02668 59747	PAR	11/2/26 9:25	CSI sampling. Cartographer record.	Roger Smith
Near Forkandles Farm, Molinnis Stream, SX 02460 59271	SECONDARY TRIBUTARY (OF CARBIS STREAM)	11/2/26 11:00	CSI sample & Cartographer record.	Roger Smith
Carbis Stream SX 02834 59401	TRIBUTARY	11/2/26 9:10	CSI sampling. Cartographer record.	Roger Smith
Lavrean, Par River SX 03134 59164	PAR	11/2/26 11:20	CSI sampling. Cartographer record.	Roger Smith
Treskillling, Treskillling Stream, SX 04107 57726	TRIBUTARY	11/2/26 12:05	CSI sampling. Cartographer record.	Roger Smith
Luxulyan allotments, Par River, SX 04732 58045	PAR	11/2/26 12:30	CSI sampling. Cartographer record.	Roger Smith
Cam Bridges, Par River, SX 05292 57454	PAR	11/2/26 12:45	CSI sampling. Cartographer record.	Roger Smith
Trebell Green, Bokiddick Stream SX 0551960226	TRIBUTARY	9/2/26 14:55	CSI sampling. Cartographer record.	Roger Smith
Corgee Moor, Bokiddick Stream SX 0593462167	TRIBUTARY	9/2/26 15:30	CSI sampling. Cartographer record.	Roger Smith
Gatty's Bridge, Bokiddick Stream SX 05531 57953	TRIBUTARY	11/2/26	CSI sampling. Cartographer record.	Joan Farmer
Treffry Viaduct, Par River, SX 05650 57179	PAR	11/2/26	CSI sampling. Cartographer record.	Joan Farmer
Lady Rashleigh Mine, Par River, SX 06451 56509	PAR	11/2/26 14:30	CSI sampling. Cartographer record.	Veronica Jones, Roger Smith
Treesmill, Tywardreath Stream, SX 08873 55385	TRIBUTARY	14/2/26 14:10	CSI sampling. Cartographer record. Riverfly.	Brian Harrisson
Par Beach slipway, SX 0776 53261	PAR	13/2/26 10:20	CSI sampling. Cartographer record.	Brian Harrisson
Polmear Stream, Ship Inn SX 08749 53417	TRIBUTARY	13/2/2026 10:55	CSI sampling. Cartographer record.	Simon Tagney

D. THIS MONTH IN PICTURES

1. Harbingers of spring: snowdrops on the bank of an unnamed tributary of Par River.



2. Another sign of better days to come.



3. Boggy areas like Criggan Moor store water after rain and release it slowly into the river, as well as acting as a carbon sink.



4. This fridge-freezer has been in the Par River near Minorca Lane for many years.



5. Beyond the trees is a watercourse connecting the Minorca Lane settlement with the main Par River. It is not possible to reach it to test the water in it.



6. Debris washed up where the Molinnis and Carbis Streams join, near Bugle.



7. The Rescorla CSO, at the base of Treskillig Downs near Luxulyan, is often under maintenance. South West Water has been asked for an explanation.



8. Rescorla CSO:



9. High water at Lady Rashleigh Mine in Luxulyan Valley.



10. The first noted appearance this year of Hemlock Water Dropwort was by the Polmear Stream.





Photo: Simon Tagney

E. TEMPERATURE

1. This is the WRT's explanation of why this is monitored:

Temperature is a vital parameter within the river ecosystem. It controls many of the aquatic species life cycles. Temperature fluctuates with the seasons; however, you do get variation within that, particularly in small rivers and streams. Another important reason to measure temperature is to track the impact of our warming climate on our waterbodies.

Geographical comparison. Source: Cartographer.



Results February 2026

Results above the temperature at which fish and other organisms can function healthily will be shown in red. At present, 18 °Celsius is being used as the upper safe limit for fish and other creatures, although 20° Celsius has been suggested by WRT instead. The Yealm Estuary to Moor Project (YEM) in Devon considers that the upper safe level (USL) for temperature is 19.5 °C.

From December 2023 all readings have been taken with the new thermometer/TDS device. Previously, all Upper Par readings, except for Lady Rashleigh Mine, have been taken with the old device. There is a worrying discrepancy with the readings on the older devices.

PAR RIVER/TRIBUTARY	LOCATION		Temperature °Celsius
Par	Criggan Moors, Par River, SX 01882 61133		11.4
Par	South of Minorca Lane, Par River, SX 02657 59788		10.1
Secondary tributary	Near Forkandles Farm, Molinnis Stream, SX 02460 59271		9.6
Tributary	Carbis Stream SX 02834 59401		10.5
Par	Lavrean, Par River SX 03134 59164		10.2
Tributary	Treskilling, Treskilling Stream, SX 04107 57726		10.9
Par	Luxulyan allotments, Par River, SX 04732 58045		10.7
Par	Cam Bridges, Par River, SX 05292 57454		11
Tributary	Trebell Green, Bokiddick Stream SX 0551960226		9.9
Tributary	Corgee Moor, Bokiddick Stream SX 0593462167		10
Tributary	Gatty's Bridge, Bokiddick Stream SX 05531 57953		11.3
Par	Treffry Viaduct, Par River, SX 05650 57179		11.3
Par	Lady Rashleigh Mine, Par River, SX 06451 56509		10.7
Tributary	Treesmill, Tywardreath Stream, SX 08873 55385		12.7
Par	Par Beach slipway, SX 0776 53261		10.3
Tributary	Polmear Stream, Ship Inn, SX 08749 53417		11


Colour coding:

Upper Par	
Lower Par	
Bokiddick Stream	
Tributaries of Upper Par (China Clay-country streams)	
Tributaries of Lower Par	

3. Graphs


(a) This month:

Par River Temperature (°Celsius) - Filtered




(b) From 1st February 2025 until 28th February 2026:

Par River Temperature (°Celsius) - Filtered



(c) From 1st February 2024 until 28th February 2026:

Par River Temperature (°Celsius) - Filtered





F. TOTAL DISSOLVED SOLIDS

1. We measure these in ppm (parts per million). The Yealm Estuary to Moor Project (YEM) in Devon considers that the upper safe level (USL) for TDS is 300 PPM. This is the WRT's explanation:

Total Dissolved Solids (TDS) is directly related to the conductivity of the water. The more minerals, salts and metals that are dissolved in the water the more conductive it gets. Low levels of dissolved solids in waters such as those on Dartmoor near to the source of the river are a result of very low levels of input from the surrounding landscape. As the river runs down to the sea it collects material from many different inputs, some natural and some man-made such as farms, sewage plants, factories and residential areas. This typically increases the amount of solids dissolved in the water leading to a higher reading. Harmful pollution from things like sewage, slurry and factory discharge will usually elevate your TDS reading. However, some pollutants such as oil can lower conductivity; therefore it should be used as a general indicator of water quality not a specific measure of toxicity. Geology will influence the normal level of conductivity in a watercourse (e.g. Areas dominated by granite generally give a lower conductivity than those with limestone). Regular monitoring will allow the detection of changes in conductivity which can indicate pollution.

2. Geographical comparison. Source: Cartographer.





3. Results February 2026


PAR RIVER/TRIBUTARY	LOCATION		Total Dissolved Solids PPM
Par	Criggan Moors, Par River, SX 01882 61133		57
Par	South of Minorca Lane, Par River, SX 02657 59788		53
Secondary tributary	Near Forkandles Farm, Molinnis Stream, SX 02460 59271		147
Tributary	Carbis Stream SX 02834 59401		77
Par	Lavrean, Par River SX 03134 59164		61
Tributary	Treskilling, Treskilling Stream, SX 04107 57726		69
Par	Luxulyan allotments, Par River, SX 04732 58045		66
Par	Cam Bridges, Par River, SX 05292 57454		60
Tributary	Trebell Green, Bokiddick Stream SX 0551960226		43
Tributary	Corgee Moor, Bokiddick Stream SX 0593462167		53
Tributary	Gatty's Bridge, Bokiddick Stream SX 05531 57953		65
Par	Treffry Viaduct, Par River, SX 05650 57179		73
Par	Lady Rashleigh Mine, Par River, SX 06451 56509		66
Tributary	Treesmill, Tywardreath Stream, SX 08873 55385		110
Par	Par Beach slipway, SX 0776 53261		115
Tributary	Polmear Stream, Ship Inn, SX 08749 53417		151

Colour coding:


Upper Par	
Lower Par	
Bokiddick Stream	
Tributaries of Upper Par (China Clay-country streams)	
Tributaries of Lower Par	

3. Graphs


(a) This month:



(b) From 1st February 2025 until 28th February 2026:



(c) From 1st February 2024 until 28th February 2026:





G. TURBIDITY

1. This is the WRT explanation of this measure:

Turbidity tube is a measure of the optical clarity of the water. The more suspended particles in the water the lower the clarity and the higher the turbidity. You will often find your waterbody gets more turbid after heavy rainfall due to soil running off the fields and sediment being mixed into the water column. This loss of topsoil is both a problem for farmer and river. It can often contain chemicals from the fertiliser and pesticides used on the land. An increase in sediment level on the substrate of the river can cause smothering of habitat by removing light and oxygen. Aquatic wildlife such as the less mobile invertebrates and fish eggs struggle to survive in low oxygen conditions and without light, plants are unable to grow. It is a good idea to sample your river after different weather conditions to understand how it responds to rainfall or drought. The Yealm Estuary to Moor Project (YEM) in Devon considers that the upper safe level (USL) for turbidity is 75 NTU = 25 mg/l.

2. Geographical comparison. Source: Cartographer.





3. Results January 2026:

PAR RIVER/TRIBUTARY	LOCATION		Turbidity (NTU)
Par	Criggan Moors, Par River, SX 01882 61133		<12
Par	South of Minorca Lane, Par River, SX 02657 59788		<12
Secondary tributary	Near Forkandles Farm, Molinnis Stream, SX 02460 59271		13
Tributary	Carbis Stream SX 02834 59401		35
Par	Lavrean, Par River SX 03134 59164		<12
Tributary	Treskilling, Treskilling Stream, SX 04107 57726		<12
Par	Luxulyan allotments, Par River, SX 04732 58045		<12
Par	Cam Bridges, Par River, SX 05292 57454		<12
Tributary	Trebell Green, Bokiddick Stream SX 0551960226		<12
Tributary	Corgee Moor, Bokiddick Stream SX 0593462167		<12
Tributary	Gatty's Bridge, Bokiddick Stream SX 05531 57953		<12
Par	Treffry Viaduct, Par River, SX 05650 57179		<12
Par	Lady Rashleigh Mine, Par River, SX 06451 56509		<12
Tributary	Treesmill, Tywardreath Stream, SX 08873 55385		<12
Par	Par Beach slipway, SX 0776 53261		<12
Tributary	Polmear Stream, Ship Inn, SX 08749 53417		<12

Colour coding:

Upper Par	
Lower Par	
Bokiddick Stream	
Tributaries of Upper Par (China Clay-country streams)	
Tributaries of Lower Par	

H. PHOSPHATES

1. This is the WRT's explanation of this measure.


Phosphate occurs naturally within the river ecosystem, but in very low levels under 0.05 mg/l. Therefore, higher levels may indicate anthropogenic input. Phosphate is found in animal and human waste, cleaning chemicals, industrial runoff and fertiliser so this can be a good indicator of pollution. Having raised levels of phosphate can lead to increases in plant growth within the watercourse. This leads to a depletion of oxygen due to the plant's aerobic respiration during the night. Without oxygen aquatic species cannot survive and the river ecosystem collapses. (It is important to note that phosphate is taken up by plants. You may get a low reading but high plant growth, indicating eutrophication.) Ranges on phosphate diagnostic colour chart:


0 – 100 OK

200 – 300 HIGH

500 – 2500 – TOO HIGH

2. Geographical comparison. Source: Cartographer.





3. Results February 2026

Results in red show phosphate levels that are classified as 'High' (above the upper safe level). WRT

PAR RIVER/TRIBUTARY	LOCATION		Phosphates PPB
Par	Criggan Moors, Par River, SX 01882 61133		0
Par	South of Minorca Lane, Par River, SX 02657 59788		0
Secondary tributary	Near Forkandles Farm, Molinnis Stream, SX 02460 59271		0
Tributary	Carbis Stream SX 02834 59401		0
Par	Lavrean, Par River SX 03134 59164		0
Tributary	Treskilling, Treskilling Stream, SX 04107 57726		0
Par	Luxulyan allotments, Par River, SX 04732 58045		100
Par	Cam Bridges, Par River, SX 05292 57454		100
Tributary	Trebell Green, Bokiddick Stream SX 0551960226		0
Tributary	Corgee Moor, Bokiddick Stream SX 0593462167		0
Tributary	Gatty's Bridge, Bokiddick Stream SX 05531 57953		0
Par	Treffry Viaduct, Par River, SX 05650 57179		200
Par	Lady Rashleigh Mine, Par River, SX 06451 56509		0
Tributary	Treesmill, Tywardreath Stream, SX 08873 55385		0
Par	Par Beach slipway, SX 0776 53261		100
Tributary	Polmear Stream, Ship Inn, SX 08749 53417		0


advice is that this is 100 Parts per Billion (0.1 mg/l).

Colour coding:


Upper Par	
Lower Par	
Bokiddick Stream	
Tributaries of Upper Par (China Clay-country streams)	
Tributaries of Lower Par	

4. Graphs


(a) This month:



(b) From 1st February 2025 until 28th February 2026:



(c) From 1st February 2024 until 28th February 2026:




I. NITRATE


Nitrate results were recorded at all sites except Gatty’s, Treffry Viaduct, and Polmear. Readings were all 0 PPM. Graphs will be generated once more results are available.

J. WILDLIFE & INVASIVE PLANTS

1. Invasive Plants sightings at the monitoring points included:



2. Wildlife spotted:



Wildlife & Invasive Plants sightings at the monitoring points included:

LOCATION	WILDLIFE NOTED		INVASIVE PLANTS NOTED
Criggan Moors, SX 01882 61133	SEEN: Blue Tit HEARD: Wren		
South of Minorca Lane, Par River, SX 02657 59788	HEARD: Wren, Blue Tit, Robin, Coal Tit.		
Forkandles Farm, Molinnis Stream, SX 02460 59271	SEEN: Wren HEARD: Blue Tit, Great Tit, Marsh Tit, Robin, Wren		
Carbis Stream SX 02834 59401			
Lavrean, Par River SX 03134 59164	HEARD: Blue Tit		
Treskilling, Treskilling Stream, SX 04107 57726	SEEN: Robin		
Luxulyan allotments, Par River, SX 04732 58045	SEEN: Buzzards HEARD: Jackdaw, Robin, Great Tit, Long-tailed Tit, Coal Tit, Robin, Wren, Goldfinch		
Cam Bridges, Par River, SX 05292 57454			
Trebell Green, Bokiddick Stream SX 0551960226	SEEN: Beaver lake		
Corgee Moor, Bokiddick Stream SX 0593462167			
Gatty's Bridge, Bokiddick Stream SX 05531 57953			
Treffry Viaduct, Par River, SX 05650 57179			
Lady Rashleigh Mine, Par River, SX 06451 56509	SEEN: Wood Pigeon		
Treesmill, Tywardreath Stream, SX 08873 55385			
Par Beach slipway, SX 0776 53261			
Polmear Stream, Ship Inn, SX 08749 53417	Wren		Hemlock Water Dropwort

The Merlin Bird ID app has been used to identify birdsong (<https://merlin.allaboutbirds.org/>) unless stated otherwise.

Colour coding:


Upper Par	
Lower Par	
Bokiddick Stream	
Tributaries of Upper Par (China Clay-country streams)	
Tributaries of Lower Par	

K. ARMI RIVERFLY SURVEYS ON LOWER PAR RIVER AND TYWARDREATH STREAM

These will resume in the spring.


L. POLLUTION SOURCES AND EVIDENCE

1. Visible sources of pollution (source: Cartographer)



2. Evidence of recent pollution:

This relates to pollution that is visible; filtered sewage was spilled into the Molinnis and Carbis Streams, and the Par River (see section 3 below), but this is not shown on the map.



LOCATION		EVIDENCE OF RECENT POLLUTION
Criggan Moors, SX 01882 61133		
South of Minorca Lane, Par River, SX 02657 59788		
Forkandles Farm, Molinnis Stream, SX 02460 59271		Foam
Carbis Stream SX 02834 59401		Grey water
Lavrean, Par River SX 03134 59164		Foam (Smell upstream near Molinnis CSO)
Treskilling, Treskilling Stream, SX 04107 57726		Foam
Luxulyan allotments, Par River, SX 04732 58045		Filtered sewage (?)
Cam Bridges, Par River, SX 05292 57454		Smell, filtered sewage (?)
Trebell Green, Bokiddick Stream SX 0551960226		None
Corgee Moor, Bokiddick Stream SX 0593462167		Foam
Gatty's Bridge, Bokiddick Stream SX 05531 57953		None
Treffry Viaduct, Par River, SX 05650 57179		Filtered sewage (?)
Lady Rashleigh Mine, Par River, SX 06451 56509		Smell, filtered sewage (?)
Treesmill, Tywardreath Stream, SX 08873 55385		
Par Beach slipway, SX 0776 53261		Filtered sewage (?)
Polmear Stream, Ship Inn, SX 08749 53417		


N.B. Although not noticeable at our monitoring points, there is a persistent smell of sewage in the vicinity of the Molinnis CSO even when there have been no reported discharges.

Colour coding:

Upper Par	
Lower Par	
Bokiddick Stream	
Tributaries of Upper Par (China Clay-country streams)	
Tributaries of Lower Par	


3. South West Water Storm Overflows

The Rivers Trust's sewage map (<https://www.sewagemap.co.uk/>) gives live information about discharges of sewage into rivers and the sea by water companies. (This is also provided by South West Water's WaterFit Live site: <https://www.southwestwater.co.uk/storm-overflow-map>).



This screenshot is for illustrative purposes only. Not all of the locations are in the Par River catchment.

It should be noted that there are also numerous private sewerage arrangements in the area but information about possible contamination of watercourses from these has not been found. The following screenshot shows the different facilities in the area (source: <https://theriverstrust.org/key-issues/sewage-in-rivers>)




(b) South West Water Storm Overflows in the Par River Catchment (updated December 2025):

The main overflows are (from source to sea along the catchment). The identification numbers have been updated:

- Roche storm overflow (SBB01035)
- Molinnis storm overflow, Bugle (SBB00794)

- Rescorla storm overflow, Luxulyan (SBB01022)
- Luxulyan sewage treatment works settled storm overflow, St Austell (SBB0119)
- Tredenham Close storm overflow, Par (SBB1273)
- Par No2 pumping station overflow, Par (SBB01273)

This information has been taken from the *Surfers Against Sewage* discharge website: <https://datahq.sas.org.uk/sewage-data-hq/> and The Rivers Trust’s site: <https://theriverstrust.org/sewage-map> .




(c) Graphs:

Data has been taken from <https://datahq.sas.org.uk/sewage-data-hq/>.


Any errors are the fault of the compiler of this report. Results are indicative, not definitive.

(i) February 2026:



(b) 1st December 2025 until 28th February 2026:

Par River Sewage Spills - Range Total (Hours open)



St Austell North CSO spilled every day in February. The Rescorla CSO registered no spills but was offline for maintenance for 72 hours and 46 minutes.

M. HOW TO REPORT RIVER POLLUTION

HOW TO REPORT RIVER POLLUTION

River pollution can now be reported **online** to the Environment Agency at: <https://www.gov.uk/report-water-pollution>.

Use this service to report water pollution in:

- rivers or the sea
- lakes or reservoirs
- canals
- smaller streams or watercourses (for example, a brook or culvert)

Water pollution can include:

- sewage
- waste, spills or leaks from farms
- waste, spills or leaks from factories or other industry
- spills or leaks from objects

If you're unable to use the online service, you can **call** the Environment Agency:
Environment Agency incident hotline

Telephone: **0800 80 70 60**

24-hour service

N. OUR GROUP AND SUPPORTERS

Monitoring is part of the Citizen Science programme run by the West Country Rivers Trust (WCRT) and is carried out monthly by volunteers, including Joan Farmer; Veronica Jones; Roger Smith; Simon Tagney; Maggie Tagney; and Brian Harrisson. They have received training from Lydia Ashworth, Junior Evidence and Engagement Officer of the West Country Rivers Trust (<https://wrt.org.uk/project/become-a-citizen-scientist/>). Results are logged on the Cartographer website. The support and advice given by Ross Tonkin, Lloyd Paynter, David Edwards, Claire and Gary Phillips, Jenny Heskett, Nick Taylor, Jeremy Roberts, Mat Bateman, Colin Pringle, Matt Healey, Simon Browning, Lydia Deacon, Jack Middleton, Anna Seal, Anna Crane, Zoe Connelly, Jade Neville, Lauren Jasper, Callum Lewis, Gwen Maggs, Oscar Miller, Sasha Pinto and Jenny Tagney is greatly appreciated. The work carried out by the late Dave Burrell both in the field and in checking reports will not be forgotten. The interest and encouragement offered by Environment Agency officers, especially Lisa Best, Lisa Goodall, Layla Ousley, Jenny Davies, Leah Steward, Nicola Rogers, Peter Scobie, and Sally Turberville have been invaluable.

Report compiled by Roger Smith, 8th April 2026